



K21U 4554

Reg. No. : ......

# V Semester B.Sc. Degree CBCSS (OBE) Regular Examination, November 2021 (2019 Admn. Only) CORE COURSE IN MATHEMATICS 5B09MAT: Vector Calculus

Time: 3 Hours Max. Marks: 48

PART – A Short Answer (Answer any four)

 $(1 \times 4 = 4)$ 

- 1. Find the parametric equations for the line through (3, 1, 2) and (2, 1, 6).
- 2. State and prove chain rule for vector functions.
- Find the directional derivative of F(x, y, z) = xy² 4x²y + z² at (1, -1, 2) in the direction of 6i + 2j + 3k.
- 4. Evaluate  $\oint_C xdx$  where C is the circle x = cost, y = sint,  $0 \le t \le 2\pi$ .
- 5. If  $F = (x^2y^3 z^4)i + 4x^6y^2zj y^4z^6k$  find curl F.

PART – B Short Essay (Answer any eight)

 $(2 \times 8 = 16)$ 

- 6. A helicopter is to fly directly from a helipad at the origin in the direction of the point (1,1,1) at a speed of 60 ft sec. What is the position of the helicopter after 10 sec?
- 7. A projectile is launched from ground level with an initial speed  $v_0$  = 768 ft/s. at an angle  $\theta$  = 30°. What is the range and maximum height attained by the projectile ?

P.T.O.

### K21U 4554



- Show that if u = u<sub>1</sub>i + u<sub>2</sub>j + u<sub>3</sub>k is a unit vector, then the arc length parameter along the line r(t) = (x<sub>0</sub> + tu<sub>1</sub>) i + (y<sub>0</sub> + tu<sub>2</sub>)j + (z<sub>0</sub> + tu<sub>2</sub>) k from the point P<sub>0</sub>(x<sub>0</sub>, y<sub>0</sub>, z<sub>0</sub>) where t = 0 is t itself.
- Find the linearization of f(x, y) = x² xy + x<sup>5</sup>y² + y<sup>4</sup> at the point (2, 1).
- 10. Find the local extreme values of  $f(x, y) = y^2 x^{\dagger}$ .
- 11. Find the least squares line for the points (0, 1), (1, 3), (2, 2), (3, 4), (4, 5).
- 12. Prove the orthogonal gradient theorem.
- 13. A coil spring lies along the helix r(t) = 2cost i + 2sint j + tk, 0 ≤ t ≤ 2π with constant density δ. Find the spring's mass and center of mass, and its moment of inertia and radius of gyration about the z-axis.
- 14. Find work done by force F = yz i + xz j + xy k acting along the curve given by  $r(t) = t^3 i + t^2 j + tk$  from t = 1 to t = 3.
- 15. Prove closed property of conservative fields.
- Show that ydx + xdy + 4dz is exact and evaluate the integral \( \int ydx + xdy + 4dz \)
  over the line segment from (1, 1, 1) to (2, 3, -1).

#### PART - C

#### Essay

(Answer any four)

 $(4 \times 4 = 16)$ 

- 17. The position of a moving particle is given by r(t) = 2cbst i + 2sint j + 3tk. Find the tangential, normal and binormal vectors. Also determine the curvature.
- 18. A delivery company accepts only rectangular boxes the sum of whose length and girth (perimeter of a cross-section) does not exceed 108 in. Find the dimensions of an acceptable box of largest volume.
- Find the maximum and minimum values of the function f(x, y) = 3x y on the circle x² + y² = 4 using Lagrange multiplier's.

### 





- Given F(x, y) = (y² 6xy + 6) i + (2xy 3x² 2y) j. Determine a potential function for F.
- How are the constants a, b and c related if the following differential form is exact? (ay<sup>2</sup> + 2czx) dx + y(bx + cz) dy + (ay<sup>2</sup> + cz<sup>2</sup>) dz.
- Calculate the outward flux of the field F(x, y) = xi + 3y² j across the square bounded by the lines x = ±2 and y = ±2.
- 23. Find the surface area of sphere of radius a.

# PART - D

### Long Essay

(Answer any two)

(2×6=12

- 24. a) Show that the curvature of a circle with radius a is 1/2.
  - b) Find and graph the osculating circle of the parabola  $y = x^2$  at the origin.
- 25. a) State Taylor's formula for f(x, y) at the origin and at point (a, b).
  - Find a quadratic approximation to f(x, y) = sinx siny near the origin. How accurate is the approximation if |x| ≤ 0.2 and |y| ≤ 0.4 ?
- a) Find the flux and circulation of the field F(x, y) = (x y) i + xj around the circle x² + y² = 1.
  - b) Evaluate ∮<sub>C</sub> (x² y²) dx + (2y x) dy where C consists of the boundary of the region in the first quadrant that is bounded by the graphs of y = x² and y = x³.
- 27. a) Find the area of the cap cut from the hemisphere x² + y² + z² = 2, z ≥ 0 by the cylinder x² + y² = 1.
  - b) Evaluate ∮<sub>C</sub> zdx + xdy + ydz where C is the trace of the cylinder x² + y² = 1 in the plane y + z = 2. Orient C counter clockwise as viewed from above.