K21U 3614

eg. No. :	AR
ame :	19



Il Semester B.Sc. Degree (CBCSS – Supple.) Examination, April 2021 (2014-2018 Admission)

# COMPLEMENTARY COURSE IN MATHEMATICS 2C02 MAT-CS: Mathematics for Computer Science – II

Time: 3 Hours Max. Marks: 40

## SECTION - A

All the first 4 questions are compulsory. They carry 1 mark each.

- 1. Give the reduction formula for [tan" xdx.
- If the two curves y<sub>1</sub> = φ<sub>1</sub>(x) and y<sub>2</sub> = φ<sub>2</sub>(x) intersect at (a, c) and (b, d) and lie between these points, then what is the area between these curves ?
- 3. Give an example for a 3 x 3 upper triangular matrix.
- 4. If A = AT, then it is said to be a \_\_\_\_\_ matrix.

### SECTION - B

Answer any 7 questions from among the questions 5 to 13. These questions carry 2 marks each.

- Evaluate | cosec\* dx.
- 6. Find the whole area included between the curve  $x^2y^2 = a^2(y^2 x^3)$  and its asymptotes.
- Find the perimeter of the cardioid r = a(1 cos θ).
- B) Find the volume of the solid generated by the revolution of the tractrix  $x = a\cos t + \frac{1}{2} \log \tan^2 \frac{t}{2}$ ,  $y = a \sin t$  about its asymptotes.

P.T.O.

# K21U 3614



- 9. Evaluate \( \int\_{n}^{\tilde{n}} \int\_{n}^{\tilde{n}} \siny \, \text{dy dx} \)
- 10. Find the volume of the solid whose base is in the xy-plane and is the triangle bounded by the x-axis, the line y = x and the line x = 1 while the top of the solid is in the plane z = x + y + 1.
- 11. Let A be a 2 x 2 matrix. If it is symmetric as well as skew symmetric, then what is A and why?
- 12. Are the vectors (1, 2), (3, 4) linearly independent ? Why ?
- 13. If A, B are both orthogonal, then what we can say about AB ? Why ?

Answer any 4 questions from among the questions 14 to 19. These questions carry 3 marks each.

- 14. If  $I_n = \int_0^a (a^n x^n)^n dx$  and  $n \neq 0$  prove that  $I_n = \frac{2na^n}{2n+1}I_{n+1}$
- 15. Find the perimeter of the loop of the curve  $9ay^2 = (x 2a)(x 5a)^2$ .
- 16. Find the rank of  $A = \begin{pmatrix} 1 & 3 & 1 \\ 2 & 5 & 3 \\ 3 & 1 & 1 \end{pmatrix}$  by row reduction.
- 17. For the orthogonal matrix  $A = \begin{pmatrix} 0 & 1 \\ -1 & 0 \end{pmatrix}$ , verify that  $A^{-1} = A^T$ .
- 18. Verify the Cayley-Hamilton theorem for  $A = \begin{pmatrix} 2 & 1 \\ 0 & 3 \end{pmatrix}$ .
- 19. Consider the systems of linear equations:
  x + y = 3, 4x + 3y = 4 and
  5x + 4y = 7, 9x + 7y = 11. Are they row equivalent? Why?





K21U 3614

### SECTION - D

Answer any 2 questions from among the questions 20 to 23. These questions carry 5 marks each.

- 20) Find the ratio of the two parts into which the parabola  $2a = r(1 + \cos\theta)$  divides the area of the cardioid  $r = 2a(1 + \cos\theta)$ .
- 21. If the hyperbola  $\frac{x^2}{a^2} \frac{y^2}{b^2} = 1$  revolves about the x-axis, show that the volume included between the surface thus generated, the cone generated by the asymptote and two planes perpendicular to the axis of x, at a distance h apart is equal to that of a circular cylinder of height h and radius b.
  - 22. Solve the system of linear equations :

$$a - b + 2c - 4d = 4$$

$$a + c - 8d = 5$$

by row reduction. How many solutions the system have ? Why ?

23. Diagonalize the matrix  $A = \begin{pmatrix} -6 & 4 \\ 3 & 5 \end{pmatrix}$